

FIRE SAFETY



Fire Hose Couplings
●Nakajima ●Storz ●Machino ●John Morris ●USA Pin





Fire Hose Box

Fire Hoses





3-Position Fire Hose Nozzles •Lever Type •Twist Type with Branchpipe



International Shore Connection



Fire Hose Binding Tool



Self Contained Breathing Apparatus Cylinder : 6 ltr Capacity : 1800 ltr



Emergency Escape Breathing Device Volume : 3.2 ltr Duration > 15 min



Fireproof Lifelines •30 mtr •40 mtr





Fire Blanket

Fire Proximity Suit





Firefighter Ex Proof Flashlights • RESPONDER Angle Type • LIGHTHAWK Lantern Type




Breathing Air Compressors •1Φ 220V 60Hz – 300 Bar – 80 LPM •3Φ 440V 60Hz – 300 Bar – 100 LPM







FIRE HOSE BINDING TOOL



- A manual 2-piece tool consisting of the Clamping and the Binding Device.
- Used for binding the fire hoses on the couplings with galvanized or copper wire.
- Can also be used on other kinds of hoses with diameters of 25mm through 110mm.







BREATHING AIR COMPRESSOR

Breathing Air Compressors Series HL110

The Series HL110 are built on a portable frame and are fabricated according to CE specifications to compress air with a high pressure of 300 bar at a maximum air quality using a 4 stage air cooled compressor.

These durable compressors are commonly used on board marine vessels for filling Breathing Air Cylinders.



| | Model HL110-E3 | Model HL110-E7 |
|-------------------|-----------------|-----------------|
| Charging Rate: | 80 L/min | 100 L/min |
| Working Pressure: | 300 Bar DIN | 300 Bar DIN |
| Electric Motor: | 1Φ 220V 60Hz | 3Φ 440V 60Hz |
| Sound Level: | 81.7 dB | 83 dB |
| Shipping Weight: | 39 kg | 39 kg |
| Dimensions: | 65 x 38 x 36 cm | 65 x 38 x 36 cm |



